



## HAILO M80

Adjustable aluminium Multipurpose ladder. Slides together, with safety joints and locking handles for height adjustment.

### THE KEY FEATURES





- For use as a lean-to ladder, extension ladder and a double-sided step ladder and stair ladder
- Height adjustable using position lock handles on sides at various levels
- 2 safety joints (can be locked and released) for adjustment when used as a step ladder and lean-to ladder

### OTHER PRODUCT ADVANTAGES




- Safe, versatile and adjustable
- Automatic position lock system
- Rung by rung height adjustment
- Inner section of ladder: longitudinal profile rungs (28 mm)
- Telescopic section: longitudinal profile rungs (26 mm)
- Maximum load capacity 150 kg

### PROPERTIES

- Rungs: 4x3
- Working height:  
as trestle ladder max. 275 cm  
as lean-to ladder max. 384 cm
- Weight: approx. 11.7 kg



## SPECIFICATIONS

Level of equipment		4
Telescopic function		✓
Can be used as lean-to ladder or free-standing ladder		✓
Can be used in a free-standing position		✓
Can be used as lean-to ladder		✓
Step adjustment		✓
Number of steps		4 x 3
Width/depth required for setting up trestle ladder		A = 54 cm, B = 101 cm
Height of trestle ladder		143 cm
Height of lean-to ladder		283 cm
Max. working height		384 cm
Max. working height of trestle ladder		275 cm
Max. working height of lean-to ladder		384 cm
Dimensions of packaging (HxWxD)		A = 94 cm, B = 54 cm, C = 19 cm
Step adjustment max.		53 cm
Weight		11,7 kg

